

SUPPLEMENT TO

The Gazette of India



No. 29] NEW DELHI, SATURDAY, OCTOBER 14, 1950

OFFICIAL PAPERS

Report attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th September, 1950

CHOLERA						SMALLPOX						PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) & PART (C)																			
Ajmer (Urban)																			
Total	
(Estd. mid-year pop. 240 thousands)																			
Total for w/e 9-9-50	
Total for w/e 2-9-50	
7-yearly mean for the week	
Assam																			
Cachar	
Khasi and Jaintia Hills	
Naga Hills	
Goalpara	7	3	
Kamrup	22	15	
Darrang	
Nowgong	
Sibsagar	1	1	
Lakhimpur	
Sadiya & Frontier Tracts	
Garo Hills	
TOTAL	30	19	
(Estd. mid-year pop. 7,611 thousands.)																			
Total for w/e 9-9-50	106	42	7	1	
Total for w/e 2-9-50	55	25	
7-yearly mean for the week	16	10	18	6	
Bhopal																			
TOTAL	6	4	
(Estd. mid-year pop. 831 thousands.)																			
Total for w/e 9-9-50	
Total for w/e 2-9-50	
7-yearly mean for the week	10	5	
Bihar																			
Patna	100	37	
Gaya	5	5	1	1	
Shahabad	10	7	13	2	
Saran	32	5	10	1	
Champaran	34	16	
Muzaffarpur	4	1	1	1	
Darbhanga	36	27	
Monghyr	15	3	
Bhagalpur	99	52	
Saharsa	3	2	
Purnea	
Santal Parganas	103	69	11	4	
Bihar—contd.																			
Hazaribagh	33	19	
Ranchi	2	2	
Manbhum	30	14	2	2	
Palamau	10	6	7	1	
Singhbhum	12	6	
TOTAL	548	271	45	12	
(Estd. mid-year pop. 37,690 thousands.)																			
Total for w/e 9-9-50	1,200	591	88	36	
Total for w/e 2-9-50	1,165	488	81	22	
7-yearly mean for the week	833	460	28	7	1	1	
Bombay																			
Bombay	2	...	6	
Ahmedabad	
Kaira	
Broach	
Panoh Mahala	
Surat	10	7	1	
Thana	2	
Bombay Suburban	
Ahmednagar	25	11	5	
East Khandesh	17	9	1	
West Khandesh	8	2	2	2	
Amreli	
Nasik	6	1	1	
Poona	15	5	22	2	1	
Satara North	39	16	1	
Satara South	44	14	10	3	
Sholapur	14	6	3	
Sabarkantha	
Belgaum	10	2	
Bijapur	48	18	
Dharwar	7	4	
Kanara	
Ratnagiri	
Kolaba	
Kolhapur	
Baroda	
Navasari	
Danga	
Malwan	
Mehsana	
TOTAL	242	95	51	7	4	
(Estd. mid-year pop. 28,071 thousands.)																			
Total for w/e 9-9-50	200	91	54	4	4	2	
Total for w/e 2-9-50	153	56	88	9	3	2	
7-yearly mean for the week	193	83	61	11	104	37	

Explanation of Symbols used :—C=Cases ; D=Deaths

Reported attacks and deaths from cholera, smallpox plague and typhoid in districts in India during the week ending the 16th September, 1950—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Coorg							Madras						
TOTAL	Visakhapatnam
(Estd. mid-year pop. 173 thousands)							Chicacole	9	1
Total for w/e 9-9-50	East Godavari	4
Total for w/e 2-9-50	1	West Godavari	1	1
7-yearly mean for the week	1	Krishna	...	3	1	23	2	...
							Guntur	...	7	4	31	17	...
							Nellore	7	1
Delhi							Ouddappah	...	166	67	42	8	...
Delhi City	2	Kurnool	...	152	61	24	1	...
New Delhi	Bellary	...	7	4
Delhi Notified Area	1	2	Anantapur	...	31	19	30	2	...
New Delhi Cantt.	Madras	...	27	5	27	7	...
West Delhi N.A.C.	Chingleput	6
Rural Circles	Chittoor	...	73	25	47	16	...
TOTAL	3	2	North Arcot	...	91	37	26	3	...
(Estd. mid-year pop. 1,274 thousands)							Salem	...	53	17	40	12	...
Total for w/e 9-9-50	4	1	2	Coimbatore	...	17	10	18	5	...
Total for w/e 2-9-50	2	South Arcot	...	410	210	51	12	...
7-yearly mean for the week	1	Tanjore	...	72	36	19	6	...
							Tiruchirapalli	...	20	13	13	2	...
Himachal Pradesh							Mathurai	...	402	171	113	23	...
Mahasu	Ramnad	...	109	45	37	6	...
Mandi	Tirunelveli	15	3	...
Sirmur	Nilgiris	1	1	...
Chamba	Malabar	15	4	...
TOTAL	South Kanara	9	4	...
(1941 Census pop. 935 thousands)							TOTAL	1,640	725	603	137
Total for w/e 9-9-50	1	Estd. mid-year pop. 52,929 thousands)						
Total for w/e 2-9-50	Total for w/e 9-9-50	1,234	556	454	121
							Total for w/e 2-9-50	1,159	499	628	172
Madhya Pradesh							7-yearly mean for the week	444	229	285	53	69	35
Nagpur	79	30	15	...	Manipur						
Wardha	27	14	TOTAL	4	1
Chanda	44	15	Estd. mid-year pop. 567 thousands)						
Chhindwara	Total for w/e 9-9-50
Betul	Total for w/e 2-9-50
Bhindare	124	74	49	2	Orissa						
Jabalpur	9	1	43	12	Cuttack	2	2
Sagar	3	1	5	2	25	5	Balasore	12	1
Mandla	13	4	Puri	8
Hoshangabad	11	Sambalpur	4
Nimar	Khondmals	3	1
Balaghat	37	25	Ganjam Plains	31	7
Rajpur	Ganjam Agency	2
Bilaspur	Koraput	8	2
Durg	28	7	Keonjhar	4
Bastar	Dhenkanal
Surguja	Bolangir Patna
Raigarh	Suadargath
Amravati	34	20	Kalanadi	...	3	2
Yeotmal	2	2	Angul
Akola	26	12	Mayurbhanj
Buldana	57	19	TOTAL	5	4	72	11
TOTAL	461	219	25	3	145	23	(Estd. mid-year pop. 7,697 thousands)						
(Estd. mid-year pop. 17,666 thousands)							Total for w/e 9-9-50	25	13	134	15
Total for w/e 9-9-50	308	175	37	3	163	40	Total for w/e 2-9-50	9	4	109	23
Total for w/e 2-9-50	559	275	11	5	228	51	7-yearly mean for the week	111	60	44	10
7-yearly mean for the week	401	211	30	4	34	4							

Explanation of the symbols used: (C) = Cases; (D) = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th September, 1950—concl'd.

CHOLERA							SMALLPOX							PLAQUE						
		C	D	C	D	C	D			C	D	C	D	C	D	C	D			
Mysore							Saurashtra													
Bangalore	.	10	Madhya Saurashtra	3	1			
Chitaldrug	.	1	...	7	1	Halar	7	7			
Hassan	3	2	Sorath	1			
Kolar	.	17	7	TOTAL	10	9			
Mandya	.	9	2	3	...	Travancore-Cochin												
Mysore	14	5	...	TOTAL	1	1			
TOTAL	.	37	19	7	1	20	7	Vindhya Pradesh												
PEPSU							Sidhi	.	.	16	9			
TOTAL	Sahdol	2			
Rajasthan							TOTAL	.	16	9	...	2			
Bikaner	Grand total for States Part (B)	.	348	148	30	14	53	21						
Former Rajasthan		12	6	Grand total for States Parts (A), (B) & (C)		3,427	1,552	856	192	220	57						
Jaipur	TYPHUS													
Jodhpur	During the week 7 cases of typhus were reported from Sirmur district in Himachal Pradesh.													
TOTAL	.	12	6														

During the week 7 cases of typhus were reported from Sirmur district in Himachal Pradesh.

Explanation of Symbols used : C—Cases ; D—Deaths.

NEW DELHI 3 (INDIA) ; }
The 9th October, 1950. }

S. P. JAIN,
for Registrar General, India.

NATIONAL
SAVINGS
CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th September, 1950

Deaths from:—

Town	Mid.-1950 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES (Parts A and C)													
Ajmer													
Ajmer	178	222	66.7	9	6	10	3	44	13.2	14
Beawar	45	40	46.2	6	2	5	...	17	19.6	5
TOTAL	218	262	62.5	15	8	15	3	61	14.6	19
Assam													
Return not received.													
Bhopal													
Bhopal	89	48	28.0	3	...	5	†	10	5.8	†
Bihar													
Return not received.													
Bombay													
Ahmedabad	854	819	49.9	200	17	41	2	354	21.5	141
Ahmednagar	66	51	40.1	5	1	7	...	22	17.3	5
Amalner	45	32	36.9	3	6	5.7	2
Bardol	100	63	32.7	1	3	8	...	36	18.7	9
Baroda	188	135	37.3	44	5	9	...	90	24.8	29
Barul	42	28	34.6	4	...	1	...	14	17.3	6
Belgaum	77	29	19.5	4	...	1	...	18	12.1	3
Bhusawal	44	68	80.3	2	...	2	...	15	17.7	4
Bijapur	58	38	34.0	3	1	2	...	12	11.4	...
Bombay	1,796	1,176	34.0	2	14	162	2	682	19.7	226
Broach	76	80	54.7	10	2	7	3	29	19.8	...
Cambay	38	22	30.1	8	1	...	2	12	16.4	2
Dharwar	55	30	28.3	1	...	2	...	21	19.8	1
Dhulia	66	65	50.9	3	5	2	1	26	20.4	5
Gadag Betgeri	68	41	32.3	3	...	3	...	12	9.7	2
Godhra	48	22	23.5	3	...	1	...	6	6.5	3
Hubli	107	42	20.4	2	4	...	1	...	15	7.2	1
Jalgaon	62	41	34.4	7	1	2	1	17	14.2	...
Kalyan	36	14	20.2	6	8.6	...
Kolhapur	115	66	29.6	4	2	3	...	26	11.7	1
Kurli	47	38	42.0	3	1	12	13.2	4
Malegaon	41	44	55.8	12	2	1	...	15	19.0	5
Miraj	38	17	23.2	2	3	6	...	12	16.4	...
Nadlad	58	52	46.8	14	...	2	...	22	19.7	5
Nasik	59	42	37.0	2	...	5	...	29	25.5	4
Navsari	46	28	31.6	...	1	...	6	2	12	13.5	4
Pandharpur	37	20	28.1	6	4	2	...	23	32.7	8
Parle Andhe	58	34	30.4	1	...	2	...	7	6.2	...
Patan	43	61	73.7	16	1	32	33.6	10
Poona	313	260	43.1	...	1	...	1	4	27	...	122	20.2	46
Sangli	39	33	44.0	1	1	2	...	13	17.3	...
Satara	40	18	23.2	2	...	2	...	10	13.0	4
Sholapur	267	200	38.9	6	13	37	...	101	19.6	34
Surat	239	168	36.5	14	4	16	...	83	18.0	26
TOTAL	5,264	3,877	38.3	3	2	...	396	85	356	13	1,911	18.9	590
Delhi State													
Delhi City	685	724	54.9	72	9	28	2	162	12.3	58
New Delhi	121	263	113.0	1	...	5	1	37	15.9	9
TOTAL	806	987	63.7	73	9	33	3	199	12.8	67

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th September, 1950—*contd.*

Town	Mid.-1950 Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madhya Pradesh		Return not received.												
Madras														
Adoni	35	74	50.5	1	...	2	...	16	23.8	4	
Ambur	39	37	49.3	1	2	2.7	...	
Anakapalle	35	18	26.7	10	...	2	1	30	44.6	5	
Aruppukotai	36	44	63.6	7	5	3	...	31	44.8	7	
Bellary	64	86	59.9	2	2	8	...	31	26.0	10	
Cannanore	35	23	34.2	3	1	1	...	15	22.5	2	
Chirala†														
Chittoor	33	33	52.0	...	6	2	...	15	23.6	10	
Coimbatore†														
Cuddappah	34	29	44.4	...	1	...	2	...	3	...	13	19.9	4	
Cuddalore	62	85	71.3	1	2	2	1	...	32	26.8	9	
Dindigul	68	49	47.5	5	5	5	...	45	34.4	11	
Eluru	72	43	31.1	...	1	...	6	1	4	...	23	20.2	4	
Erode	45	56	64.7	6	5	8	1	34	39.3	2	
Guddiyattam	40	29	37.7	2	2	5	1	18	23.4	5	
Guntur	101	115	59.2	13	1	5	1	45	23.2	4	
Kakinada	84	46	24.5	3	3	1	1	35	21.7	5	
Kancheepuram	83	57	35.7	3	4	11	1	45	28.2	6	
Karaikudi	36	34	49.1	4	1	...	13	18.8	1	
Karur	35	30	44.6	1	2	1	...	17	25.3	2	
Kozhikode	152	142	48.6	17	7	21	1	138	47.2	16	
Kumbakonam	71	102	74.7	1	4	3	1	36	26.4	5	
Kurnool	55	54	51.1	1	3	2	...	13	12.3	3	
Madras	1,013	1,170	60.0	5	9	...	40	73	169	2	648	33.2	153	
Mangalore	94	107	59.2	9	6	16	1	61	33.8	12	
Mandlipetnam†														
Mathurai	292	182	32.4	46	19	...	23	20	52	4	270	48.1	38	
Mayuram	33	24	37.8	1	1	2	1	44	69.3	15	
Melapalayam	32	14	22.8	...	1	...	1	4	1	...	13	21.1	3	
Megapattinam	57	46	42.0	1	2	...	22	20.1	4	
Nellore	66	84	66.2	8	4	3	2	38	29.9	8	
Ooty	35	31	46.1	...	1	4	10	...	24	35.7	10	
Palem Cotta	34	45	68.8	4	4	...	21	32.1	2	
Palghat	61	50	42.6	...	1	...	2	1	12	...	54	46.0	10	
Proddatur†														
Pudukottai	39	22	29.3	1	...	2	...	12	16.0	2	
Rajahmundry	85	53	32.4	1	3	2	...	31	19.0	8	
Rajapalayam	53	33	32.4	1	6	5	...	24	23.4	4	
Salem	155	113	38.0	...	2	...	6	4	21	1	88	29.5	13	
Srivilliputtur	37	39	54.8	1	...	3	1	13	18.3	3	
Tanjore	70	90	44.6	1	1	9	6	2	50	37.2	9	
Tellicherry	42	35	43.3	6	1	5	...	22	27.2	5	
Tenali	46	45	50.9	6	2	20	22.6	4	
Tiruchirappalli	175	100	29.7	1	3	23	...	91	27.0	15	
Tirunelveli	64	57	46.3	2	4	6	...	29	23.5	5	
Tiruppur	47	43	47.6	7	4	3	...	31	35.0	7	
Tiruvannamalai	39	25	33.3	1	3	2	...	25	33.3	2	
Tuticorin	90	71	41.0	...	1	...	1	2	7	...	43	24.9	15	
Vaniyambadi	39	26	34.7	1	3	1	7	9.3	2	
Vellore	85	94	57.5	7	2	5	2	49	30.0	8	
Vijayavada	110	77	36.4	...	1	...	6	2	8	...	35	16.5	9	
Virudunagar	36	29	41.9	2	5	6	...	21	30.3	2	
Vizagapatnam	82	64	40.6	6	8	10	...	52	33.0	14	
Vizianagram	58	48	43.0	3	4	2	1	28	25.1	6	
TOTAL	4,284	3,933	47.8	53	43	...	229	232	479	27	2,518	30.6	503	
Orissa														
Berhampur	49	60	63.8	5	7	...	1	22	23.4	4	
Cuttack	83	70	43.9	...	3	...	12	1	56	35.2	13	
Puri	44	28	33.2	...	1	...	8	...	5	...	30	35.6	8	
TOTAL	176	158	46.7	...	4	...	25	8	5	1	108	31.9	26	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D. Maternal deaths ; D.R.—Death rate ; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th September, 1950—*contd.*

Deaths from:—

Town	Mid-1950 Popn.-Est. (000)		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I. D.
Punjab (I)														
Ambala	52	36	86.1	4	4	1	..	12	12.0	4
Amritsar†	55	45	42.7	12	17	16.1	8
Batala	51	59	60.3	1	..	7	3	2	..	19	19.4	4
Bhiwani	37	15	21.3	5	..	2	..	7	9.9	1
Fazilka	48	22	23.9	4	1	1	..	14	15.2	7
Ferozepore	32	30	48.9	6	3	12	19.5	7
Hissar	145	121	43.5	21	5	2	..	37	13.3	14
Hoshiarpur†	48	41	44.5	4	5	6.4	2
Jullundur	152	138	47.3	17	2	4	..	37	12.7	11
Karnal	37	31	43.7	6	1	9	12.7	4
Ludhiana	42	46	57.1	7	1	..	1	11	13.7	5
Moga	35	31	46.2	3	8	11.9	3
Panipat	60	33	28.7	11	16	13.9	7
Rewari														
Rohtak														
TOTAL	794	648	42.4	..	1	107	20	12	1	204	13.4	77
Uttar Pradesh														
Agra	355	475	69.7	4	15	47	1	123	18.1	42
Allahabad	325	219	35.1	1	1	26	1	65	16.4	30
Amroha	66	74	58.3	5	3	4	2	30	23.6	14
Bahraich	46	27	30.5	6	2	2	1	14	15.8	5
Balrampur	51	21	21.6	1	..	1	..	2	2.1	..
Banaras	308	307	52.1	1	..	109	17	21	2	259	43.9	73
Bareilly	235	116	25.7	1	18	6	18	1	61	13.5	17
Budaun	58	50	44.8	11	1	2	..	25	22.4	14
Dehra Dun	104	67	33.7	7	1	1	..	22	11.1	3
Etawah	58	67	59.3	12	3	3	1	34	30.1	18
Faizabad-Ajodhya	58	51	45.5	6	1	2	..	17	15.2	5
Farrukhabad-Fatehgarh	64	63	51.1	2	11	1	4	..	28	22.7	11
Ferozabad	55	53	50.0	9	1	1	..	15	14.1	4
Ghazipur	35	41	61.3	7	10	14.9	..
Gorakhpur	121	51	20.3	13	5	7	..	37	14.8	11
Hapur	47	53	59.1	7	5	5	..	19	21.2	7
Hardwar Union	71	41	30.0	12	4	1	..	29	21.2	13
Hathras	57	67	61.8	14	6	3	..	30	27.7	18
Jaunpur	52	28	28.3	6	..	2	..	16	10.1	2
Jhansi	90	162	93.4	25	3	44	25.4	19
Kanpur	702	517	38.4	128	39	31	6	361	26.8	102
Khurja	41	33	41.6	1	..	13	16.4	6
Koil-Aligarh	143	74	27.0	11	6	6	..	36	13.1	13
Lucknow	487	379	40.5	..	1	25	8	17	..	109	11.7	43
Mathura	101	73	37.9	29	..	6	..	55	28.5	20
Meerut	160	158	51.5	6	4	17	2	40	13.0	7
Mirzapur-Vindhyachal	81	94	60.8	10	3	4	..	29	18.8	13
Moradabad	186	150	42.1	4	5	19	1	52	14.6	16
Muzaffarnagar	65	58	46.3	12	..	1	..	16	12.8	8
Pilibhit	53	29	28.5	3	3	2	..	15	14.7	6
Rampur	103	34	17.1	5	1	2	1	15	7.6	1
Saharanpur	168	150	46.5	1	49	1	1	1	63	19.5	18
Sambhal	63	65	53.4	8	2	3	..	24	19.7	6
Shahjahanpur	132	82	32.3	27	3	2	..	42	16.6	15
Sitapur	37	27	37.8	..	1	6	11	15.4	4
TOTAL	4,780	3,956	43.0	4	3	607	152	262	20	1,761	19.1	584
West Bengal														
Return not received.														
STATES—(Part B)														
Return not received														
Jammu and Kashmir														
Return not received.														
Madhya Bharat														
Grater Gwalior	234	40	8.9	2	3	5	33	7.3	1
Indore City	73	288	55.1	25	4	5	1	80	15.3	20
Ratlam	52	24	24.0	10	..	4	2	25	25.0	5
Ujjain City	106	38	18.5	3	7	5	2	40	22.6	5
TOTAL	665	390	30.5	2	41	16	14	5	184	14.4	31

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figure not available.

Explanation of symbols used:—B = Births; B. R. = Birth rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D. D. = Dysentery and Diarrhoea; R. D. = Respiratory diseases; M. D. = Maternal Deaths; D. R. = Death rate; I. D. = Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th September 1950—*contd.*

Town	Mid-1950 Popn-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Mysore State															
Bangalore City	500	317	32.9	3	10	21	39	..	200	20.8	..		
Kolar Gold Fields†															
Mysore City	191	64	24.4	21	8.0	..		
TOTAL	691	381	28.7	3	10	21	39	..	221	16.6	..		
PEPSU															
Malerkotla	86	29	41.9	2	2	2.9	..		
Patiala	84	70	43.3	16	3	4	2	34	21.0	..		
TOTAL	120	99	42.9	18	3	4	2	36	14.2	..		
Rajasthan															
Alwar†															
Bikaner	166	77	23.9	7	5	2	..	17	5.3	3		
Jaipur	201	62	16.0	49	7	2	2	112	28.9	39		
Jodhpur	157	32	10.5	8	2	1	..	26	8.6	..		
Udaipur	72	10	7.2	1	0.7	..		
TOTAL	596	181	15.8	64	14	5	2	166	13.6	42		
Saurashtra															
Bhavnagar	128	57	23.4	22	4	2	..	44	17.9	7		
Dhoraji	45	28	28.6	5	3	10	10.2	..		
Jamnagar†															
Jetpur	33	11	17.3	3	1	1	..	5	7.9	2		
Junagadh	75	35	24.3	19	3	2	..	28	19.4	3		
Morvi	54	17	16.4	7	5	12	11.6	2		
Porbandar	63	23	19.0	9	1	1	..	24	19.8	10		
Rajkot	73	69	49.2	18	11	2	..	60	42.7	..		
TOTAL	471	240	26.5	83	28	8	..	183	20.2	24		
Travancore-Cochin															
Alleppey	68	27	20.7	2	..	12	9.2	1		
Ernakulam	56	16	14.9	1	..	8	7.4	4		
Kottayam	41	18	22.8	3	2	8	10.2	1		
Mattancheri	66	49	38.6	4	3	1	..	12	9.5	..		
Nagercoil	60	38	32.9	5	1	..	1	14	12.1	2		
Quilon	64	43	34.9	2	1	5	..	16	12.2	..		
Trichur	69	52	39.2	3	3	1	1	19	14.3	2		
Trivandrum	159	85	27.8	8	10	13	1	53	17.3	4		
TOTAL	583	328	29.3	25	20	23	3	141	12.6	14		
ARREAR RETURNS															
Bihar															
For w/e the 2nd September, 1950															
Arrah	57	5	4.6	3	3	1	8	7.3	..		
Bettiah	62	10	16.0	1	..	3	..	5	8.0	..		
Bihar†															
Bhagalpur	102	7	3.6	2	9	4.6	..		
Chupra	62	21	17.5	2	6	..	1	4	23	19.2	..		
Darbhanga	77	28	18.9	9	1	2	..	18	12.1	..		
Dinapur-Nizamat	36	15	21.7	7	9	19	17.4	..		
Gaya†															
Jamalpur	48	2	2.2	1	1.1	..		
Jamshedpur	209	184	45.8	15	8	15	1	77	19.1	13		
Monghyr†															
M. zaffarpur†															
Patna	191	34	9.0	6	2	1	..	21	5.7	..		
Purulia	35	3	4.5	1	4	6.9	..		
Ranchi	58	1	2	1.0	..		
TOTAL	937	309	17.1	13	53	11	22	6	187	10.4	13		
Madhya Bharat															
For w/e the 9th September, 1950															
Greater Gwalior	234	63	14.0	10	1	30	6.7	..		
Indore City	272	216	45.1	31	1	10	1	98	18.7	30		
Ratlam	52	43	43.0	..	1	..	4	1	3	1	14	14.0	1		
Ujjain	103	72	35.3	2	4	1	6	2	42	20.6	12		
TOTAL	665	394	30.8	2	1	..	49	4	19	4	184	14.4	43		
Jammu and Kashmir															
For w/e															
Srinagar	2-9-50	240	96	20.8	6	..	4	1	37	8.0	9		
"	9-9-50	..	113	24.4	18	..	13	..	52	11.2	2		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal deaths ; D.R.—Death rate ; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 16th September 1950 relate to 167 towns with an estimated population of 19,537 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 72% of the total number of towns representing 69% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 15,488 and 7,693 representing birth and death rates of 41.6 and 20.5 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 140 towns with an estimated population of 16,411 thousands. Information about Assam, Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 201 and their population is 24,668 thousands. Thus 70% of the total number of towns representing 67% of the total population is covered. The numbers of births and deaths recorded in these towns were 13,869 and 6,772

representing birth and death rates of 43.9 and 21.5 per thousand of population respectively. The table at the end gives the position by States.

Mayuram in Madras was the only town which had a high death rate of 69.3 per thousand of population and this high death rate does not appear to have been due to any one of the specified causes.

(B) States (Part B).—The data here relate to 27 towns with an estimated population of 3,126 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 84% of the total number of towns representing 83% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,619 and 921 representing birth and death rates of 26.9 and 15.3 per thousand of population respectively.

No town recorded a high death rate of 50 per thousand of population.

States	Current w/e 16.9.50		Corresponding w/e last year		Corresponding mean during the previous 5 years' period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	62.5	14.6	32.3	22.1	41.9	28.0
Bombay	38.3	18.9	41.8	25.4	34.9	25.3
Delhi	63.7	12.8	53.5	19.9	54.8	20.0
Madras	47.8	30.6	47.7	21.9	44.9	25.0
Orissa	46.7	31.9	42.1	29.0	35.0	25.4
Punjab (I)	42.4	13.4	35.0	18.0	35.0	18.8
Uttar Pradesh	43.0	19.1	47.4	26.2	46.6	28.7
India (only States A & C)	43.9	21.5	38.8	21.9	40.3	24.6

NEW DELHI 3 (INDIA);

The 9th October, 1950

S. P. JAIN,

for Registrar General, India.

